

Attachment 12-C



- FIRM should clearly include / identify at a minimum:
- Dewatering area.
 - Dewatering drawdown area (cone of depression).
 - Locations of settlement monuments/monitors.
 - Locations of boring samples.
 - Variations in soil types (if applicable)
 - Limits of disturbance in each area of soil variation.
 - Highlight any structures of concern & add to list of recommended settlement monitors.
 - Time planned for dewatering activities (by months).

SCALE: 1" = 90'

File: 011418R001419000CAC_BIMMASCIPRECONSTRUCTION FIGURES.dwg
 PLOT DATE: 3/10/2019 6:20 AM BY: UBRANDT

PROJECT ENGINEER:	T. McPHERSON
DESIGNED BY:	T. McPHERSON / C. LINK
DRAWN BY:	M. BRANDT
CHECKED BY:	T. McPHERSON
IF THIS BAR DOES NOT MEASURE 1" THEN DRAWING IS NOT TO FULL SCALE	
REV	ISSUED FOR
	DATE
	BY

Hazen
 HAZEN AND SAWYER
 4500 MAIN STREET, SUITE 500
 VIRGINIA BEACH, VIRGINIA 23462
 PHONE: 757 497-0490

CROWDER CONSTRUCTION COMPANY
 SINCE 1947
 CROWDER CONSTRUCTION COMPANY
 1111 BURMA DRIVE
 APEX, NORTH CAROLINA 27539
 PHONE: 800-849-5449

VB
 City of Virginia Beach

HRSD
 PROVIDENCE ROAD OFF-LINE
 STORAGE FACILITY AND WOODSTOCK
 PARK IMPROVEMENTS

PRECONSTRUCTION ASSESSMENT
 AND DAMAGE MITIGATION PLAN
 DEWATERING IMPACTS

DATE:	AUGUST 2019
HAZEN NO.:	31419-000
FIGURE NO.	3